



Model RVW17

HOT WATER SAFETY RELIEF VALVE

(17 Series)

Job Name:	Contractor:
Job Location:	P.O. Number:
Engineer:	Representative:
Tag:	Wholesale Distributor:

DESCRIPTION

ASME Section IV and CSA capacity certified bronze "uni-body" Safety Relief Valve for protection of hot water boilers, systems and similar equipment. This valve prevents excessive thermal expansion buildup in plumbing systems, tank applications or tankless water heaters.

FEATURES

- ASME Section IV Certified Capacity (3/4")
- CSA Listed and Certified to ANSI Z21.22
- 75-160 psig (5.2 – 10.3 bar) Set Pressures @ 250°F (121°C) max
- Corrosion Resistant Construction
- Male NPT inlet, Female NPT Outlet
- Made in the USA
- 100% Factory Tested
- Durable Soft Seat Design for Extended Service


MATERIALS

Body: ASTM B584 Bronze
 Spring: Stainless Steel
 Seat: Silicone

DIMENSIONS

Model	Item Number	Size	A-Install Ht. (in.)
RVW17-12*	17401	1/2M x 1/2F	2.59
RVW17-34	17402	3/4M x 3/4F	2.73

* - not ASME certified



CAPACITY

CSA Capacity Certified

1/2"	15,000 BTU/Hr
3/4"	200,000 BTU/Hr

National Board Capacity Certified

Set Pressure PSIG (bar)	17402 BTU/Hr
75 (5.17)	505,000
100 (6.90)	648,000
125 (8.62)	791,000
150 (10.34)	934,000

APPROVALS



ASME Section IV Heating Boilers (17402)
 CSA ANSI Z21.22 Relief Valves for Hot Water Systems
 Canadian Registration Number 0G8547.5C
 Conforms to HUD/FHA Requirements

Conbraco Industries, Inc. 701 Matthews Mint Hill Rd. Matthews NC 28105 USA ; www.apollovalves.com ; 704-841-6000

This specification is provided for reference only. Conbraco reserves the right to change any portion of this specification without notice and without incurring obligation to make such changes to Conbraco products previously or subsequently sold.